

IVX 20 administrator worksheets

Function 1: System parameters

F13 — Administrator password

See page C.1 for details.

Range: 2–8 digits. Default: 456.

F14 — Set time/date

F17— System speed-dial

(Use the worksheet on the following page.)

F17— System speed dial

See page C.2 for details.

<i>Loc.</i>	<i>Name</i>	<i>Number</i>
600		
601		
602		
603		
604		
605		
606		
607		
608		
609		
610		
611		
612		
613		
614		
615		
616		
617		
618		
619		
620		
621		
622		
623		
624		
625		

Use a blank sheet for additional speed dial numbers 626–699.

Function 5: Voice mail programming

F53 — Guest mailboxes

See page E.1 for details.

MB	Name
300	
301	
302	
303	
304	
305	
306	
307	
308	
309	

F55 — Message notification

See page E.1 for details.

CO line access

Range: 9,8 or 7. Default: 9.

Dialing pause

Range: 1–12. Default: 1.

Pager interval

Range: 0–20. Default: 6.

Function 6: Recordings

See page F.1 for details.

F61 — Re-recordable prompts

Prompt	Type	Default	Re-recorded
ID1 Day	No names matched	<input type="checkbox"/>	<input type="checkbox"/>
ID1 Night	End of message	<input type="checkbox"/>	<input type="checkbox"/>
540	Holiday main greeting	<input type="checkbox"/>	<input type="checkbox"/>

F62 — Record directory names

See page F.1 for details.

Extension	Recorded name	Keys
100		
101		
102		
103		
104		
105		
106		
107		
108		
109		
110		
111		
112		
113		

F63 — Message-on hold-programming

See page F.2 for details.

F631 — MOH source

Range: 590–593. Default: 592

F633 — MOH volume

Range: 1–12. Default: 6
